













FAMILY OLÉOCLEAN

automatic oil filtration









* selon modèle, je nach Modell, niet op alle modellen aanwezig, a seconda del modello, según modelo, conforme o modelo, bazı modellerde, afhængig af model, beroende på modell, kun på noen modeller, mallista riippuen, ανάλογα με το μοντέλο, в зависимости от модели, w zależności od modelu, podle modelu, podl'a modelu, modelltöl függően, според модела,







Min. 0,5 L
 ↓
 1,2 L
 Max. 2,2 L





Min. 450 g
 ↓
 890 g
 Max. 1925 g



0,5 L → 1,2 L	
1,2 L → 2,2 L	

3





Max

1000 g



625 g












Max


900 g































450 g

















			 	  		
	2,2 l	1000 g	190°C	13 - 18 min		
	2,2 l	625 g	170°C	12 - 14 min		
	2,2 l	900 g			190°C	11 - 16 min
	2,2 l	450 g			170°C	7 - 9 min
	2,2 l	150 g	170°C	7 - 10 min	170°C	7 - 10 min
	2,2 l	400 g	180°C	12 - 16 min	190°C	15 - 17 min
	1,2 l	14 p	170°C	6 - 8 min	190°C	6 - 8 min
	1,2 l	300 g	190°C	1 min	-	-
	2,2 l	240 g	150°C	4 - 5 min	190°C	4 - 5 min
	2,2 l	170 g	160°C	4 - 6 min	190°C	5 - 7 min
	1,2 l	240 g	170°C	8 - 9 min	190°C	8 - 9 min
	1,2 l	240 g	170°C	5 - 6 min	190°C	5 - 6 min
	0,5 l	200 g	170°C	3 - 4 min	190°C	3 - 4 min
	0,5 l	10 - 12 p	170°C	5 - 6 min	170°C	4 - 6 min
	0,5 l	10 - 12 p	170°C	4 - 5 min	190°C	4 - 5 min
	0,5 l	8 p	170°C	4 - 5 min	190°C	5 - 6 min





-7-












8



9





FAMILY OLÉOCLEAN

automatic oil filtration



S.A.S. SEB SELONGEY CEDEX • RC. DIJON B 302 412 226 • REF. 5067820